



CESAR MINI RGBW

Linear LED Wallwasher
Surface Mounted Facade Lighting



Cesar mini exterior wallwasher luminarie is mainly used wall washing, spot lighting and flood lighting. Continuous interconnection with IP67 connectors Mounting bracket made of stainless steel.

Aluminium extruded body with aluminium end caps offering various installation types. It is available as dimming options and many customizations options.



CESAR MINI RGBW

Linear LED Wallwasher
Surface Mounted Facade Lighting

Basic Options

Light Source	High Power LED
Light Source Color	RGBW
Control Interface	DMX
Protection Class IEC	Class 1
CE Mark	Yes
ENEC Standards	Yes
Warranty Period	5 years
L 70	> 60 000 Hours
MacAdams	3 Step MacAdams
Wind Catching Area	0.13m ²
Power Factor(Min)	0.95
Ambient Temperature	-25°C to +60°C
CRI	>80

Electrical Options

Input Voltage	100 - 305V/AC
Input Frequency	50-60Hz
Number of Gear Unit	1 Unit
Power Unit	Power Supply
Surge Protection	6 KV
Electrical Protection Class	Class I

Body Options

Housing	Aluminium Extrusion
Glass	Tempered Glass
Gasket	Silicone
Protection Rating	IP67
Impact Resistance	IK09
Color	Grey
Dimensions (LxWxH)	320-1520x38x50
Screws	316 Stainless Steel
End Caps	Aluminium Extrusion

Optics

Light Distribution	30°/60°/90°/120°/Asm
--------------------	----------------------

Connection

Connection Cable	5 pins circular
------------------	-----------------

Customized Options

Power	8W - 57W ± %5
Led Qty	8 / 16 / 24 / 36 / 40
Input Voltage	24V/DC (Optional)
CRI	>90 (Optional)
Light Color	RGB



CESAR MINI RGBW

Linear LED Wallwasher
Surface Mounted Facade Lighting


Ordering Details

Product Code	Input	Power	Light Color	Lenght	Control
Cesar Mini.8.328.D.RGBW.XX	220V/AC	8W	RGBW	328mm	DMX
Cesar Mini.12.328.D.RGBW.XX	220V/AC	12W	RGBW	328mm	DMX
Cesar Mini.16.628.D.RGBW.XX	220V/AC	16W	RGBW	628mm	DMX
Cesar Mini.24.628.D.RGBW.XX	220V/AC	24W	RGBW	628mm	DMX
Cesar Mini.27.928.D.RGBW.XX	220V/AC	27W	RGBW	928mm	DMX
Cesar Mini.40.928.D.RGBW.XX	220V/AC	40W	RGBW	928mm	DMX
Cesar Mini.36.1228.D.RGBW.XX	220V/AC	36W	RGBW	1228mm	DMX
Cesar Mini.54.1228.D.RGBW.XX	220V/AC	54W	RGBW	1228mm	DMX
Cesar Mini.36.1520.D.RGBW.XX	220V/AC	40W	RGBW	1520mm	DMX
Cesar Mini.54.1520.D.RGBW.XX	220V/AC	54W	RGBW	1520mm	DMX

Product Coding

Product Name	Product Power	Product Size	Control System	Color	Light Beam
XX	XX	XX	DMX	RGB	XX
XX	XX	XX	D	RGBW	XX

Technical Drawing



Connection Diagram

