


CESAR SLIM AC

Linear LED Wallwasher
Surface Mounted Facade Lighting



Cesar slim exterior wallwasher luminarie is mainly used wall washing, spot lighting and flood lighting. Continuous interconnection with IP67 connectors Mounting bracket made of stainless steel.

Aluminium extruded body with Aluminium end caps offering various installation types. It is available as dimming options and many customizations options.



Basic Options

Light Source Color	3000K-4000K-6500K
Control Interface	On / Off
Protection Class IEC	Class 1
CE Mark	Yes
ENEC Standards	Yes
Warranty Period	5 years
L 70	> 60 000 Hours
MacAdams	3 Step MacAdams
Wind Catching Area	0.13m ²
Power Factor(Min)	0.95
Ambient Temperature	-25°C to +60°C
CRI	>80

Electrical Options

Input Voltage	100 - 305V/AC
Input Frequency	50-60Hz
Number of Gear Unit	1 Unit
Power Unit	Power Supply
Surge Protection	6 KV
Electrical Protection Class	Class I

Body Options

Housing	Aluminium Extrusion
Glass	Tempered Glass
Gasket	Silicone
Protection Rating	IP66
Impact Resistance	IK09
Color	Grey
Dimensions (LxWxH)	320-1520x50x28
Screws	316 Stainless Steel
End Caps	Aluminium Extrusion

Optics

Input Voltage	Single Lens
Light Distribution	12°/20°/34°/45°/60°/Asm
Light Source	Power LED on Aluminium PCB

Connection

Connection Cable	3 pins Circular M19 Type
------------------	--------------------------

Customized Options

Power	9W - 96W
Led Qty	9/18/27/36
Lenght	32cm - 122cm
Input Voltage	24V/DV (Optional)
CRI	>90 (Optional)
Light Color	Red, Green, Blue, Amber
Control	1-10V, DIM, DALI




Ordering Details

Product Code	Input	Power	Light Color	Lenght	Lumen	Control
CesarSlim.9.320.N.4.XX	220V/AC	9W	4000K	328mm	1350	On/Off
CesarSlim.14.320.N.4.XX	220V/AC	14W	4000K	328mm	2100	On/Off
CesarSlim.18.620.N.4.XX	220V/AC	18W	4000K	628mm	2700	On/Off
CesarSlim.27.620.N.4.XX	220V/AC	27W	4000K	628mm	3760	On/Off
CesarSlim.27.920.N.4.XX	220V/AC	27W	4000K	928mm	3610	On/Off
CesarSlim.40.920.N.4.XX	220V/AC	40W	4000K	928mm	5980	On/Off
CesarSlim.36.1220.N.4.XX	220V/AC	36W	4000K	1228mm	5328	On/Off
CesarSlim.54.1220.N.4.XX	220V/AC	54W	4000K	1228mm	8076	On/Off

Product Coding

Product Name	Product Power	Product Size	Control System					Color Temperature			Light Beam
XX	XX	XX	on/off	1-10V	PUSH	TRIAC	DALI	3K	4K	6.5K	▲
XX	XX	XX	N	V	P	T	D	3	4	6	XX

Technical Drawing



Connection Diagram

